



Material Safety Data Sheet

Interfibe Corporation
1615 Vanderbilt Road
Portage, Michigan 49024
269-323-8366

PRODUCT: INTERFIBE
DATE: May 12, 2009
EMERGENCY CONTACT: Larry White, Quality Manager 269-323-8366

The following information includes safety data required by OSHA. The recipient of this safety data is responsible for passing on the safety information so that it reaches the ultimate user who may come in contact with the material.

TRADE NAMES: 105, 185, 200, 230, 230A, 463, 483, 483A, 483B, 483C, 483D, 566, ETF, JMC, JMM, FT, FTP, 5FT, ROAD CEL™, GC66, GEL CEL 10, GEL CEL W10, GEL CEL W90, GEL CEL W100, XP90, XP95, WXP95, XTR, TM50, TM100, TM200

CHEMICAL NAME: Cellulose (wood) fibers, plus naturally occurring clay (kaolin)-except 483, 483A, 483B, 483C, 483D, TM50, TM100, TM200, TM300

CHEMICAL NOTATION OR STRUCTURE:

Cellulose (C₆H₁₀O₅)_n: 81.75% +/- 4.50%

Others: 18.25% +/- 4.50%

Kaolin H₂Al₂Si₂O₈H₂O:

(except 483, 483A, 483B, 483C, 483D, TM50, TM100, TM200, TM300)

Total: 100%

CAS REGISTRY #: Not applicable (mixture of natural materials)
(Cellulose: 9004-34-6 Kaolin: 1332-58-7 except 483, 483A, 483B, 483C, 483D, TM50, TM100, TM200, TM300)

HEALTH INFORMATION

PRECAUTIONS IN USE: Avoid prolonged breathing of dust
May cause transient decreased pulmonary function
Chronic emphysema or respiratory disorders could be aggravated

FIRST AID: Remove from exposure
Eyes: Rinse with water
Skin: Blow or wash off
Ingestion: Material will pass through the body normally
Inhalation: Remove to fresh air

TOXICOLOGY

This product and its components are not listed on the IARC, NTP, or OSHA carcinogens lists. There are no known cases of carcinogenesis from cellulose materials such as INTERFIBE, and if used in a manner such that airborne concentrations are no greater than 10 mg/m³ (milligrams per cubic meter) or 30 mppcf (million particles per cubic foot) no long term health effects will occur.

ENVIRONMENTAL DATA

INTERFIBE products are not known to have any adverse effect on the aquatic environment when properly disposed.

TYPICAL CHEMICAL AND PHYSICAL INFORMATION

STABILITY:	Stable	HMIS Ratings: Health:	0
PH in 5% SLURRY:	7.0±1.0	Flammability:	1
REACTIVITY:	None	Physical Hazard:	0
		Personal Protection:	E

FIRE AND EXPLOSION DATA:

Will char and smolder similar to compressed paper. Airborne concentrations exceeding 160 grams/cubic meter may have combustion potential if subjected to an ignition source. Dust Class: St-1, K_{st} (bar x m/s): 104, refer to NFPA Standards 68,69, and 650

REGULATORY STATUS

OSHA:	PEL –15 mg/m ³ total dust 5 mg/m ³ respirable dust	ACGIH: TLV-nuisance dust limit 10 mg/m ³ total 5 mg/m ³ respirable
NIOSH:	Not applicable	USDA: Not applicable
EPA:	Not considered a hazardous material	FDA: Not applicable
DOT	Not considered a hazardous material	TSCA: Not applicable

HANDLING INFORMATION

TRANSPORTATION CLASS: 70

STORAGE AND TRANSPORTATION: Do not store above 180 F, due to plastic packaging

DISPOSAL: Landfill in accordance with Local, State, and Federal regulations. Cover to avoid blowing of dust.

SPILLAGE AND CLEANUP: Vacuum or sweep up, or flush to sewer treated for suspended solids removal.

The information contained herein is based upon data considered true and accurate. However, INTERFIBE makes no warranties, expressed or implied, as to the accuracy or adequacy of the information contained herein or the results to be obtained from the use thereof. This information is offered solely for the user's consideration, investigation and verification. Since the use and conditions of use of this information and the material described herein are not within the control of INTERFIBE, INTERFIBE assumes no responsibility for injury to the user or third persons. The material described herein is sold only pursuant to INTERFIBE'S Terms and Conditions of Sale, including those limiting warranties and remedies contained therein. It is the responsibility of the user to determine whether any use of this data and information is in accordance with applicable federal, state, or local laws and regulations.